## AMENDED

## APPLICATION FOR PERMIT

# TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date	e of filing in State Engineer's Office. — NOV 2.1 1990 NEW PRIORITY DATE: MAR 6, 1993
Retu	urned to applicant for correction DEC 1 3 1990
Cor	rection application filed JAN 15 1991
Map	p filed FEB 26 1991
	The applicant SOUTHLAND CORPORATION
	5820 STONERIDGE MALL ROAD #310 , of PLEASANTON City or Town  CALIFORNIA 94566 , hereby make application for permission to appropriate the publication for permission appropriate the publication appropriate the publication for permission appropriate the publication appropriate the publicat
	State and Zip Code No.  ers of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorpora
	; if a copartnership or association, give names of members.)
шоп	s, if a copartite ship of association, give names of members.
******	
1.	The source of the proposed appropriation is SHALLOW, UNCONFINED WATERTABLE AQUIFER  Name of stream, lake, spring, underground or other source
2.	The amount of water applied for is
	One second-foot equals 448.83 gals. per min.  (a) If stored in reservoir give number of acre-feet
3.	The water to be used for GROUNDWATER REMEDIATION  Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.
4.	If use is for:
	(a) Irrigation, state number of acres to be irrigated:N/A
	(b) Stockwater, state number and kinds of animals to be watered:
	(c) Other use (describe fully under "No. 12. Remarks"GROUNDWATER-AQUIFER-AND-SOIL-REMEDIATI
	(d) Power:
	(1) Horsepower developed N/A
	(2) Point of return of water to stream N/A
5.	The water is to be diverted from its source at the following point: SEE EXHIBIT "A" ATTACHED.  Describe as being within a 40-acre subdivision of public
	survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.
6.	Place of use PROJECT SITE IS LOCATED AT 529 RANCHO DRIVE IN LAS VEGAS, NEVADA MORE Describe by legal subdivision. If on unsurveyed land, it should be so stated.
	SPECIFICALLY, THE SITE IS LOCATED IN THE MORTHERN PORTION OF THE SW. 1 OF THE SE
	4 OF SECTION 29, TOWNSHIP 20 SOUTH, RANGE 61 EAST OF THE LAS VEGAS, NEVADA NW
	QUADRANGLE U.S.G.S. 7.5 MINUTE SERIES TOPOGRAPHIC MAP.
-	
	Use will be begin aboutJANUARY. 1and end aboutDECEMBER. 31, of each year.  Month and Day
δ.	Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and
	specifications of your diversion or storage works.) (SEE BELOW)  State manner in which water is to be diverted, i.e. diversion structure, ditches an
^	flumes, drilled well with pump and motor, etc.
У.	Estimated cost of works\$100,000 INCLUDING REMEDIAL TREATMENT SYSTEM.

11.	Estimated time required to complete the application of water to beneficial u	use 1 YEAR	
12.	Remarks: For use other than irrigation or stock watering, state number an consumptive use.	nd type of units to be served or annual	
	SYSTEM IS TO BE USED TO TREAT GROUNDWATER AND SOILS CONTAINING FUELS COMPOUNDS SYSTEM WILL CONSIST OF 3 RECOVERY WELLS WHICH WILL PUMP TO AN EQUILIZATION TANK AND AIR STRIPPER FOR REMOVAL OF FUELS COMPOUNDS. EFFLUENT WILL BE DISCHARGED TO THE STORMWATER SYSTEM. SYSTEM WILL BE CYCLIC AND TEMPORARY - WELLS TO BE PROPERLY ABANDONED FOLLOWING COMPLETION.		
	<u>-</u>		
Con	5820 STONE:	ler RIDGE MALL RD.,#310 , CALIFORNIA 94566	
Prot	tested		
	APPROVAL OF CHAPTE TAKEN	VIDD.	
	APPROVAL OF STATE ENGIN		
folk	This is to certify that I have examined the foregoing application, and do owing limitations and conditions:	hereby grant the same, subject to the	
tot	vironmental Protection and subsequent corresponder talizing meter must be installed and maintained in the int of diversion and records of this measurement sha	e discharge pipeline near t	
bas the the wat was any the pul	sis. It is also understood that this right must allow e static water level of permittee's well due to other e area. The well shall be equipped with a 2-inch of ter. If the well is flowing, a valve must be installate. The State retains the right to regulate the usy and all times.  The right will cease to exist upon termination termined by the Nevada Division of Environmental Protection, private or corporate lands.	for a reasonable lowering r ground water development pening for measuring depth led and maintained to prevese of water granted herein on of clean up activity ction.	
bas the the wat was any * det	sis. It is also understood that this right must allow e static water level of permittee's well due to other e area. The well shall be equipped with a 2-inch of ter. If the well is flowing, a valve must be installate. The State retains the right to regulate the usy and all times.  The right will cease to exist upon termination termined by the Nevada Division of Environmental Protection of the permittee the results.	for a reasonable lowering or ground water development pening for measuring depth led and maintained to prevent of water granted herein on of clean up activity ction.	
bas the the was any * det  puk (CC) The	sis. It is also understood that this right must allow e static water level of permittee's well due to other e area. The well shall be equipped with a 2-inch of ter. If the well is flowing, a valve must be installate. The State retains the right to regulate the usy and all times.  The right will cease to exist upon termination termined by the Nevada Division of Environmental Protection, private or corporate lands.  ONTINUED ON PAGE 2)  camount of water to be appropriated shall be limited to the amount which	for a reasonable lowering r ground water development pening for measuring depth led and maintained to preve se of water granted herein on of clean up activity ction. ight of ingress and egress acan be applied to beneficial use, and	
bas the the wat was any * det puk (CC)	sis. It is also understood that this right must allow e static water level of permittee's well due to other e area. The well shall be equipped with a 2-inch of ter. If the well is flowing, a valve must be installate. The State retains the right to regulate the usy and all times.  The right will cease to exist upon termination termined by the Nevada Division of Environmental Protection, private or corporate lands.  ONTINUED ON PAGE 2)  The amount of water to be appropriated shall be limited to the amount which to exceed.  O.067 cubic feet per second.	for a reasonable lowering or ground water development pening for measuring depth led and maintained to prevent se of water granted herein on of clean up activity ction. In ight of ingress and egress are can be applied to beneficial use, and the control of the c	
bass the the wat was any * det pulk (CC)	sis. It is also understood that this right must allow e static water level of permittee's well due to other e area. The well shall be equipped with a 2-inch of ter. If the well is flowing, a valve must be installate. The State retains the right to regulate the usy and all times.  The right will cease to exist upon termination termined by the Nevada Division of Environmental Protection This permit does not extend the permittee the ribblic, private or corporate lands.  ONTINUED ON PAGE 2)  The amount of water to be appropriated shall be limited to the amount which to exceed  0.067 cubic feet per second million gallons annually.	for a reasonable lowering r ground water development pening for measuring depth led and maintained to preve se of water granted herein on of clean up activity ction. ight of ingress and egress can be applied to beneficial use, and , but not to exceed 15.8	
bas the wat was any * det (CC) The mot to work work was any * to w	sis. It is also understood that this right must allow e static water level of permittee's well due to other e area. The well shall be equipped with a 2-inch of ter. If the well is flowing, a valve must be install ste. The State retains the right to regulate the usy and all times.  The right will cease to exist upon termination termined by the Nevada Division of Environmental Protection This permit does not extend the permittee the ribblic, private or corporate lands.  ONTINUED ON PAGE 2)  The amount of water to be appropriated shall be limited to the amount which to exceed.  O.067 cubic feet per second million gallons annually.  The right will cease to exist upon termination termination of the amount which to exceed.  O.067 cubic feet per second million gallons annually.	for a reasonable lowering r ground water development pening for measuring depth led and maintained to preve se of water granted herein on of clean up activity ction. ight of ingress and egress can be applied to beneficial use, and , but not to exceed 15.8  February 26, 1993	
bas the the wat was any * det puh (CC) The not the work was any * the puh (CC) The root the the work was any * the puh (CC) The root the work was any * the puh (CC) The root th	sis. It is also understood that this right must allow e static water level of permittee's well due to other e area. The well shall be equipped with a 2-inch of ter. If the well is flowing, a valve must be install ste. The State retains the right to regulate the usy and all times.  The right will cease to exist upon termination termined by the Nevada Division of Environmental Protect This permit does not extend the permittee the rightic, private or corporate lands.  ONTINUED ON PAGE 2)  The amount of water to be appropriated shall be limited to the amount which to exceed  O.067 cubic feet per second million gallons annually.  The resonable diligence and be completed on or before of completion of work shall be filed before.	for a reasonable lowering r ground water development pening for measuring depth led and maintained to preve se of water granted herein on of clean up activity ction. ight of ingress and egress can be applied to beneficial use, and , but not to exceed 15.8  March 26, 1993	
bass the the wat was any * det puh (CC) The not to work App	sis. It is also understood that this right must allow e static water level of permittee's well due to other e area. The well shall be equipped with a 2-inch of ter. If the well is flowing, a valve must be install ste. The State retains the right to regulate the usy and all times.  The right will cease to exist upon termination termined by the Nevada Division of Environmental Protection This permit does not extend the permittee the rightic, private or corporate lands.  ONTINUED ON PAGE 2)  The amount of water to be appropriated shall be limited to the amount which to exceed.  O.067 cubic feet per second million gallons annually.  The right will cease to exist upon termination termination of water to be appropriated shall be limited to the amount which to exceed.  O.067 cubic feet per second million gallons annually.  The right will cease to exist upon termination of water to be appropriated shall be limited to the amount which to exceed.  O.067 cubic feet per second million gallons annually.	for a reasonable lowering r ground water development pening for measuring depth led and maintained to preve se of water granted herein on of clean up activity ction. ight of ingress and egress can be applied to beneficial use, and , but not to exceed 15.8  March 26, 1993  N/A *	
bas the wat was any * det	sis. It is also understood that this right must allow e static water level of permittee's well due to other e area. The well shall be equipped with a 2-inch of ter. If the well is flowing, a valve must be installed in the state. The State retains the right to regulate the usy and all times.  The right will cease to exist upon termination termined by the Nevada Division of Environmental Protest This permit does not extend the permittee the right, private or corporate lands.  ONTINUED ON PAGE 2)  The amount of water to be appropriated shall be limited to the amount which to exceed.  One of the application of work shall be filed on or before.  Of of the application of water to beneficial use shall be filed on or before.  One of of the application of water to beneficial use shall be filed on or before.	for a reasonable lowering r ground water development pening for measuring depth led and maintained to preve se of water granted herein on of clean up activity ction. ight of ingress and egress can be applied to beneficial use, and , but not to exceed 15.8  March 26, 1993  N/A *  N/A	
bass the the wat was any * det puh (CC) The not to the wat was any * det puh (CC) The not to the most to the wat was any * det puh (CC) The not to the was any * det puh (CC) The not to the wat was any * det puh (CC) The not to the wat was any * det puh (CC) The not to the wat was any * det puh (CC) The not to the wat was any * det puh (CC) The not to the wat was any * det puh (CC) The not to the wat was a	sis. It is also understood that this right must allow e static water level of permittee's well due to other e area. The well shall be equipped with a 2-inch of ter. If the well is flowing, a valve must be install ste. The State retains the right to regulate the usy and all times.  The right will cease to exist upon terminative termined by the Nevada Division of Environmental Protection, private or corporate lands.  ONTINUED ON PAGE 2)  amount of water to be appropriated shall be limited to the amount which to exceed  million gallons annually.  The must be prosecuted with reasonable diligence and be completed on or before plication of water to beneficial use shall be filed on or before.  p in support of proof of beneficial use shall be filed on or before.  IN TESTIMONY WHEREOF, application of work filed  JUN 1 - 1993  IN TESTIMONY WHEREOF,	for a reasonable lowering r ground water development pening for measuring depth led and maintained to preve se of water granted herein on of clean up activity ction. ight of ingress and egress can be applied to beneficial use, and , but not to exceed 15.8  March 26, 1993  N/A  N/A  N/A  N/A  N/A  N/A  N/A  N/	
bass the the wat was any * det pul (CC) The not to the wat was any * det to the pul (CC) The not to the wat was any * det to the pul (CC) The not to the wat was any * det to the pul (CC) The not to the wat was any * det to the pul (CC) The not to	sis. It is also understood that this right must allow e static water level of permittee's well due to other e area. The well shall be equipped with a 2-inch of ter. If the well is flowing, a valve must be installed at the usy and all times.  The State retains the right to regulate the usy and all times.  The right will cease to exist upon terminative termined by the Nevada Division of Environmental Protection of the permit does not extend the permittee the resolution of permittee or corporate lands.  ONTINUED ON PAGE 2)  The amount of water to be appropriated shall be limited to the amount which to exceed  O.067 cubic feet per second million gallons annually.  The must be prosecuted with reasonable diligence and be completed on or before plication of water to beneficial use shall be filed on or before.  The proof of beneficial use shall be filed on or before.  In TESTIMONY WHEREOF, State Engineer of Nevada, to of of beneficial use filed.  The state is a state of the	for a reasonable lowering r ground water development pening for measuring depth led and maintained to preverse of water granted herein on of clean up activity ction. ight of ingress and egress and egress are can be applied to beneficial use, and to be applied to beneficial use, and to be applied to beneficial use, and the seal of the seal o	
bass the the wat was any * det pul (CC) The not the wat was any * det CC) The root of the pul (CC) The root of the pul (C	sis. It is also understood that this right must allow e static water level of permittee's well due to other e area. The well shall be equipped with a 2-inch of ter. If the well is flowing, a valve must be installed.  Stee The State retains the right to regulate the usy and all times.  The right will cease to exist upon terminative termined by the Nevada Division of Environmental Protection, private or corporate lands.  ONTINUED ON PAGE 2)  The amount of water to be appropriated shall be limited to the amount which to exceed.  O.067 cubic feet per second million gallons annually.  The must be prosecuted with reasonable diligence and be completed on or before plication of water to beneficial use shall be filed on or before.  The provided shall be filed on or before the plication of water to beneficial use shall be filed on or before.  The provided shall be filed on or before to for the application of water to beneficial use shall be filed on or before.  The provided shall be filed on or before the plication of work filed shall be filed on or before.  The provided shall be filed on or before the provided shall be filed on or before.  The provided shall be filed on or before the provided shall be filed on or before.  The provided shall be filed on or before the provided shall be filed on or before.  The provided shall be filed on or before the provided shall be filed on or before.  The provided shall be filed on or before the provided shall be filed on or before.  The provided shall be filed on or before the provided shall be filed to the provided shall be filed	for a reasonable lowering r ground water development pening for measuring depth led and maintained to prevesse of water granted herein on of clean up activity ction. ight of ingress and egress can be applied to beneficial use, and , but not to exceed 15.8  March 26, 1993  N/A  N/A  N/A	
base the water was any * def pulk (CC) The not to the water was any * def pulk (CC) The CC The Process of the pulk (CC)  Process of the pulk (CC)  Process of the pulk (CC)  Cultility of the pulk (CC	sis. It is also understood that this right must allow e static water level of permittee's well due to other e area. The well shall be equipped with a 2-inch of ter. If the well is flowing, a valve must be install stee. The State retains the right to regulate the usy and all times.  The right will cease to exist upon terminative termined by the Nevada Division of Environmental Protection of Page 2) amount of water to be appropriated shall be limited to the amount which to exceed	for a reasonable lowering r ground water development pening for measuring depth led and maintained to preve se of water granted herein on of clean up activity ction. ight of ingress and egress are can be applied to beneficial use, and , but not to exceed 15.8  March 26, 1993  March 26, 1993  N/A  N/A  N/A  N/A  N/A  N/A  N/A  N/	
base the water was any * def pulk (CC) The not to the water was any * def pulk (CC) The CC The Process of the pulk (CC)  Process of the pulk (CC)  Process of the pulk (CC)  Cultility of the pulk (CC	sis. It is also understood that this right must allow e static water level of permittee's well due to other e area. The well shall be equipped with a 2-inch of ter. If the well is flowing, a valve must be install stee. The State retains the right to regulate the usy and all times.  The right will cease to exist upon terminative termined by the Nevada Division of Environmental Protection, private or corporate lands.  ONTINUED ON PAGE 2)  The amount of water to be appropriated shall be limited to the amount which to exceed.  O.067  cubic feet per second million gallons annually.  The must be prosecuted with reasonable diligence and be completed on or before of of the application of water to beneficial use shall be filed on or before.  The private or corporate lands.  O.067  cubic feet per second million gallons annually.  The must be prosecuted with reasonable diligence and be completed on or before of of the application of work shall be filed before.  The private or corporate lands.  O.067  Cubic feet per second million gallons annually.  The must be prosecuted with reasonable diligence and be completed on or before.  The private or corporate lands.  O.067  Cubic feet per second million gallons annually.  The must be prosecuted with reasonable diligence and be completed on or before.  The private or corporate lands.  O.067  Cubic feet per second million gallons annually.  The must be prosecuted with reasonable diligence and be completed on or before.  The private or corporate lands.  O.067  Cubic feet per second million gallons annually.  The must be prosecuted with reasonable diligence and be completed on or before.  O.067  Cubic feet per second million gallons annually.  The must be prosecuted with reasonable diligence and be completed on or before.  O.067  Cubic feet per second million gallons annually.  The must be proved annually	for a reasonable lowering r ground water development pening for measuring depth led and maintained to preve se of water granted herein on of clean up activity ction. ight of ingress and egress are can be applied to beneficial use, and , but not to exceed 15.8  March 26, 1993  March 26, 1993  N/A  N/A  N/A  N/A  N/A  N/A  N/A  N/	
base the wat was any * def pulk (CC) The not in the wat was any * def pulk (CC) The Common Process of the Proce	sis. It is also understood that this right must allow e static water level of permittee's well due to other e area. The well shall be equipped with a 2-inch of ter. If the well is flowing, a valve must be install stee. The State retains the right to regulate the usy and all times.  The right will cease to exist upon terminative termined by the Nevada Division of Environmental Protection, private or corporate lands.  ONTINUED ON PAGE 2)  communt of water to be appropriated shall be limited to the amount which to exceed.  O.067 cubic feet per second million gallons annually.  The must be prosecuted with reasonable diligence and be completed on or before of of completion of work shall be filed before.  Direction of water to beneficial use shall be filed on or before.  Direction of water to beneficial use shall be filed on or before.  Direction of work filed.  JUN 1 - 1993  IN TESTIMONY WHEREOF, State Engineer of Nevada, in tural map filed.  Made and the state of the st	for a reasonable lowering r ground water development pening for measuring depth led and maintained to preverse of water granted herein on of clean up activity ction. ight of ingress and egress and egress are can be applied to beneficial use, and to be applied to beneficial use, and to be applied to beneficial use, and the seal of the seal o	

### (PERMIT TERMS CONTINUED)

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

A monthly report shall be submitted to the State Engineer within 10 days from the end of each month which shall include the amount of water pumped from each well and the amount of water used.

#### **EXHIBIT "A"**

THE NORTH LINE OF THE NORTHEAST QUARTER (NE 1/4) OF SECTION 29, TOWNSHIP 20 SOUTH, RANGE 61 EAST, M.D.M., CLARK COUNTY, NEVADA, BEARS NORTH 89°25'55" EAST PER RECORD OF SURVEY, FILE 45, PAGE 73, OFFICIAL RECORDS OF CLARK COUNTY, NEVADA. WELL NO. RC1 BEARS N 22°42'24" E 4537.07 TO THE NORTHEAST CORNER OF SAID SECTION 29; WELL NO. RC2 BEARS N 21°29'51" E 4595.15' TO THE NORTHEAST CORNER OF SAID SECTION 29 AND WELL NO. RC3 BEARS N 22°04'47" E 4557.98' TO THE NORTHEAST CORNER OF SAID SECTION 29. ALL THREE POINTS OF DIVERSION LAY IN THE SW 1/4 OF THE SE 1/4 OF SAID SECTION 29.

51475

A) 10 12 11 11 15